

Rentals

Cinematronix has a selection of commercial cinema equipment now available for rent. We have solutions suitable for professional movie presentations in larger venues and for production services. Projectors and accessories capable of cinema quality presentations are now available for rent from locations in BC and Ontario. Depending on the screen surface we can provide images up to 70 feet wide in 2K or 4K resolution. Our systems can be configured and provided to playback DCP cinema format content along with most other video standards.

Equipment Rental Rates

Make	Item	3 Day	7 Day	14 Day	21 Day	Month	Extra Day
Christie	CP2215 Digital Cinema Projector	\$1,280.00	\$2,880.00	\$4,780.00	\$6,400.00	\$8,535.00	\$320.00
Christie	CP4220 Digital Cinema Projector	\$2,240.00	\$5,040.00	\$8,400.00	\$11,200.00	\$14,560.00	\$560.00
Christie	Christie Rack Stand	\$40.00	\$90.00	\$150.00	\$200.00	\$260.00	\$10.00
Christie	IMB Integrated Media Block	\$300.00	\$675.00	\$1,125.00	\$1,500.00	\$1,950.00	\$75.00
Dolby	CP750 Cinema Sound Processor	\$80.00	\$180.00	\$300.00	\$400.00	\$520.00	\$20.00
Dolby	DCP2000 Digital DCP Cinema Server	\$400.00	\$900.00	\$1,500.00	\$2,000.00	\$2,600.00	\$100.00
Dolby	DCP 2K4 Digital DCP Cinema Server	\$400.00	\$900.00	\$1,500.00	\$2,000.00	\$2,600.00	\$100.00
Gefen	Pro III 2K AV Processor w/D-A	\$80.00	\$180.00	\$300.00	\$400.00	\$520.00	\$20.00
Custom	Flyable 3-Way Screen Speakers	TBD	Please Contact Us For Additional Information & Availability				
JBL/Custom	Sub-woofers Dual 18" Drivers	TBD	"				
Bag End	TA2000-C Surrounds w/Stands	TBD	"				
QSC Audio	Audio Amplifier Selection	TBD	"				
Assorted	Projection Screens	TBD	"				

Digital Cinema Projector Selection

CHRISTIE®



Solaria CP4220 DLP Digital Cinema Projector

Screen Size	• Up to 70ft. (21.3m)
Brightness	• ~22,000 Lumens
DLP® technology	• 1.4" Enhanced 4K 3-Chip DMD DLP Cinema Chip
Resolution	• 4096 x 2160 Pixels
Contrast	• >2,100:1 Full Field On/Off
Lamp	• 2kW to 3kW High Output Xenon
Height	• 19" (483mm)
Width	• 25.6" (630mm)
Depth	• 52.7" (1,339mm)
Weight	• As Installed: 245lb (111kg)

CHRISTIE®



Solaria CP2215 DLP Digital Cinema Projector

Screen Size	• Up to 50ft. (15m)
Brightness	• ~15,000 Lumens
DLP® technology	• 0.98" 2K 3-Chip DMD DLP Cinema Chip
Resolution	• 2048 x 1020 Pixels
Contrast	• >2,000:1 Full Field On/Off
Lamp	• 1.4kW to 2kW High Output Xenon
Height	• 15" (395mm)
Width	• 26" (665mm)
Depth	• 27" (687mm)
Weight	• As Installed: 122lb (55kg)

CHRISTIE®



Projection Lenses & Lamps

CP4220	• Lens / 1.25-1.83:1 & 1.45-2.05:1 Lamp / CDXL20SD (2KW) & CDLX30 (3KW)
CP2215	• Lens / 1.20-1.75:1 & 1.75-2.40:1 & 2.40-3.90:1 Lamp / CDXL16M (1.6KW) & CDXL20SD (2KW)

CHRISTIE®



Rack Mount Pedestal

Mounting Rack	• All Models Of Christie Solaria Projectors • Up To 30RU Of Component Space
Adjustable Height	• 34.5-40.6" (876-1032mm)
Width	• 25.24" (676mm)
Length	• 36.78" (1034mm)
Weight	• 154lb (70kg)

DCP Content Server Selection

doremi
cinema



DCP-2000 Digital Cinema Server

- | | |
|---------------------|--|
| Playback | • JPEG2000 2K / MPEG2 MXF |
| Security | • CineLink II / Thompson Watermarking / FIPS 3 |
| Storage | • 1TB RAID5 |
| Audio Output | • AES/EBU Digital Audio 16 Channel |
| Video Output | • Dual Link HD-SDI 2048x1080 24p 4:4:4 12 Bit |
| Dimensions | • 19" x 22" x 5.25" 3RU (480 x 560 x 130mm) |

doremi
cinema



ShowVault / IMB Digital Cinema Server

- | | |
|---------------------|--|
| Playback | • JPEG2000 2K & 4K / MPEG2 MXF |
| Security | • Onboard Projecto FIPS 3 |
| Storage | • 2TB RAID5 |
| Audio Output | • AES/EBU Digital Audio 16 Channel |
| Video Output | • PCIe + Be 4096x2160 in 2D / 2048x1080 in 3D |
| IMB Features | • IMB Has HDMI (HDCP) & 3G SDI Input
Sacle All Video To 2048x1080 or 4096x2160
Deinterlacing Support (1080i) Auto Colour Space |
| Dimensions | • 19" x 11" x 7" 4RU (480 x 280 x 190mm) |

CHRISTIE®



Christie IMB / QNAP NAS For DCP Playback

- | | |
|---------------------|---|
| Playback | • JPEG2000 2K & 4K / MPEG2 MXF |
| Security | • Onboard Projecto FIPS 3 |
| Storage | • 3TB RAID5 |
| Audio Output | • AES/EBU Digital Audio 16 Channel |
| Video Output | • 4096x2160 in 2D / 2048x1080 in 3D |
| IMB Features | • IMB Has DVI (HDCP) Input
Sacle All Video To 2048x1080 or 4096x2160 |
| Dimensions | • 7" x 8" x 9" 5RU (185 x 211 x 235mm) |

Audio / Video Accessories



CP-750 Cinema Sound Processor

- Digital Inputs** • 1 x 4AES / 2 x 1AES / Toslonk Optical
- Analog Inputs** • 1 x 8Ch.DB25 / 1 x 2Ch.RCA / Microphone
- Processing** • PCM / AC- 3 / Pro Logic II / Surround 7.1
- Network** • RJ4 Automation & Control
- Audio Output** • 1 x 8Ch.DB25 / 1 x 2Ch.(RCA) / Hearing Impaired
- Dimensions** • 19" x 10" x 3.5" 2RU (480 x 280 x 89mm)



Pro III Video Scaler & Consumer Audio Processor

- Video Inputs** • 1 x HDMI / 2 x DVI / 2 x Component / 1 x VGA
- Audio Inputs** • Analog Stereo RCA / Digital Coax & Optical
- Processing** • 1 x 4AES / 1 x 6ChAnalogDB25 / PCM / AC-3 / DTS
- Scaling** • Upscales Video to 1920 by 1080
- Video Output** • DVI-A/D 1920x1080p & 2K (23.97/50/60Hz)
- Audio Output** • 1 x 6 Ch Analog DB25
- Dimensions** • 19" x 10" x 3.5" 2RU (480 x 280 x 89mm)